

L Number	Hits	Search Text	DB	Time stamp
-	1737	anisotropic and compressi\$3 and conductive	USPAT	2003/05/12 14:03
-	0	anisotropic and (resistan\$3 near5 detector) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:04
-	0	anisotropic and (current near5 sensor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 18:15
-	0	156/583.1.ccls. and (resistance near2 monitor)	USPAT	2003/05/12 14:04
-	1048	anisotropic and (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:04
-	1788	adhesive same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:04
-	8627	(anisotropic and (adhesive or bond or attachment)) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:05
-	32748	(anisotropic) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:05
-	0	(anisotropic near10 (adhesive or bond or attachment)) and ((resistance or current or voltage) near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1)) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:05
-	91	anisotropic and compressi\$3 and conductive and 156/\$.ccls.	USPAT	2003/05/13 18:05
-	2	("6332709").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:08
-	1080	(156/64).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:09
-	336	(156/351).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:09
-	337	(156/358).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:09
-	398	(156/359).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10

-	198	(156/360).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	590	(156/378).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	13	anisotropic and 156/64.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	18	anisotropic and (156/35\$.ccls. or 156/36\$.ccls. or 156/37\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	79	anisotropic and (439/\$.ccls.) and resistan\$3 and control\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	2	anisotropic and (resistan\$3 near5 sensor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	198	anisotropic and (resistan\$3 and sensor)	EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	85	anisotropic and (current and sensor)	EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	99	anisotropic and (voltage and sensor)	EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	3	anisotropic and (current near5 detector) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	4	anisotropic and (current near5 monitor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	19	anisotropic and (dielectric near1 constant) and (bond\$1 or bonding\$1)	EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	61	anisotropic and (dielectric near2 constant) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:10
-	594	(156/295).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:11

-	3259	((156/290) or (156/291) or (156/297) or (156/299)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:14
-	29	((156/290) or (156/291) or (156/297) or (156/299)).CCLS.)	USPAT	2003/05/12 14:14
-	892	and anisotropic (156/583.1).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:14
-	6	((156/583.1).CCLS.) and anisotropic	USPAT	2003/05/12 14:14
-	3	156/583.1.ccls. and (resistance near2 detector)	USPAT	2003/05/12 14:14
-	433	anisotropic same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:24
-	4	156/583.1.ccls. and (resistance near2 sensor)	USPAT	2003/05/12 14:15
-	45	(adhesive near2 bond) same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 73/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	365	(anisotropic and (adhesive or bond or attachment)) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1)) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	75	(anisotropic near10 (adhesive or bond or attachment)) and (resistance or current or voltage near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1)) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	19	(anisotropic near10 (adhesive or bond or attachment)) and ((resistance or current or voltage) near2 (sensor\$1 or detector\$1 or meter\$1 or monitor\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	5	anisotropic and (voltage near5 monitor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 16:59
-	1	anisotropic and (resistan\$3 near5 monitor\$2) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	4	anisotropic and (voltage near5 sensor) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	4	anisotropic and (voltage near5 detector) and 156/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:15
-	562	156/\$.ccls. and (pressing or pressure or clamp or clamping) and ((resistance or electrical or electric or current or voltage or amp or waveform)near2 (sensor or detector or monitor or monitoring or detecting or sensing))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 14:16

-	3	156/583.1.ccls. and (resistance near2 detect\$3)	USPAT	2003/05/12 14:16
-	0	(electroconductive near10 (adhesive or resin or paste)) and (voltage near5 (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:00
-	0	(electroconductive near10 (adhesive or resin or paste)) and (resistance near5 (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:01
-	0	(electroconductive near10 (adhesive or resin or paste)) and (resistance same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:01
-	0	(electroconductive near10 (adhesive or resin or paste)) and (resistance same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:01
-	3	(conductive near10 (adhesive or resin or paste)) and (resistance same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:03
-	1	(conductive near10 (adhesive or resin or paste)) and (voltage same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:03
-	2	(conductive near10 (adhesive or resin or paste)) and (current same (detect\$3 or sensor\$2 or monitor\$3)) and 156/358.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/12 17:03
-	107	anisotropic same (sensor\$1 or detector\$1 or meter\$1 or monitor\$1) and 29/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 16:38
-	128	anisotropic and compressi\$3 and conductive and 29/\$.ccls.	USPAT	2003/05/13 18:11
-	78	anisotropic and ((current or voltage or resistance) near5 sensor) and 29/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/13 18:16